


DMHRE1

Redução excêntrica ranhurada



Diâmetro nominal mm/pol	Diâmetro externo mm/pol	Pressão de trabalho MPa/psi	Dimensões L (mm)	
			DMHRE1	DMHRE1L
32*25	42,4*33,7	2,07	64	
1½*1	1,66*1,327	300		
40*25	48,3*33,7	2,07	64	
1½*1	1,9*1,327	300		
40*32	48,3*42,4	2,07	64	
1½*1¼	1,9*1,66	300		
50*25	60,3*33,7	2,07	58	64
2*1	2,375*1,327	300		
50*32	60,3*42,4	2,07	58	64
2*1¼	2,375*1,669	300		
50*40	60,3*48,3	2,07	58	64
2*1½	2,375*1,9	300		
65*25	73*33,7	2,07	60	64
2½*1	2,875*1,327	300		
65*30	73*42,4	2,07	60	64
2½*1¼	2,875*1,669	300		
65*40	73*48,3	2,07	60	64
2½*1½	2,875*1,9	300		
65*50	73*60,3	2,07	56	64
2½*2	2,875*2,375	300		
65*25	76,1*33,7	2,07	60	64
2½*1	3*1,327	300		
65*32	76,1*42,4	2,07	60	64
2½*1¼	3*1,669	300		
65*40	76,1*48,3	2,07	60	64
2½*1½	3*1,9	300		
65*50	76,1*60,3	2,07	58	64
2½*2	3*2,375	300		
80*25	88,9*33,7	2,07	60	64
3*1	3,5*1,327	300		
80*32	88,9*42,4	2,07	60	64
3*1¼	3,5*1,669	300		
80*40	88,9*48,3	2,07	60	64
3*1½	3,5*1,9	300		
80*50	88,9*60,3	2,07	60	64
3*2	3,5*2,375	300		
80*65	88,9*73	2,07	60	64
3*2½	3,5*2,875	300		
80*65	88,9*76,1	2,07	60	64
3*2½	3,5*3	300		
100*25	108*33,7	2,07	65	76
4*1	4,25*1,327	300		
100*32	108*42,4	2,07	65	76
4*1¼	4,25*1,669	300		
100*40	108*48,3	2,07	65	76
4*1½	4,25*1,9	300		
100*50	108*60,3	2,07	65	76
4*2	4,25*2,375	300		
100*65	108*73	2,07	65	76
4*2½	4,25*2,875	300		
100*65	108*76,1	2,07	65	76
4*2½	4,252*3	300		
100*80	108*88,9	2,07	65	76
4*3	4,252*3,5	300		
100*25	114,3*33,7	2,07	65	76
4*1	4,5*1,327	300		



DMHRE1

Redução excêntrica ranhurada



Diâmetro nominal mm/pol	Diâmetro externo mm/pol	Pressão de trabalho MPa/psi	Dimensões L (mm)	
			DMHRE1	DMHRE1L
100*32 4*1¼	114,3*42,4 4,5*1,669	2,07 300	65	76
100*40 4*1½	114,3*48,3 4,5*1,9	2,07 300	65	76
100*50 4*2	114,3*60,3 4,5*2,375	2,07 300	65	76
100*65 4*2½	114,3*73 4,5*2,875	2,07 300	65	76
100*65 4*2½	114,3*76,1 4,5*3	2,07 300	65	76
100*80 4*3	114,3*88,9 4,5*3,5	2,07 300	65	76
125*25 5*1	133*33,7 5,25*1,327	2,07 300	70	89
125*32 5*1¼	133*42,4 5,25*1,669	2,07 300	70	89
125*40 5*1½	133*48,3 5,25*1,9	2,07 300	70	89
125*50 5*2	133*60,3 5,25*2,375	2,07 300	70	89
125*65 5*2½	133*73 5,28*2,875	2,07 300	70	89
125*65 5*2½	133*76,1 5,25*3	2,07 300	70	89
125*80 5*3	133*88,9 5,25*3,5	2,07 300	70	89
125*100 5*4	133*114,3 5,25*4,5	2,07 300	70	89
125*25 5*1	139,7*33,7 5,5*1,327	2,07 300	65	70
125*32 5*1¼	139,7*42,4 5,5*1,669	2,07 300	65	70
125*40 5*1½	139,7*48,3 5,5*1,9	2,07 300	65	70
125*50 5*2	139,7*60,3 5,5*2,375	2,07 300	65	70
125*65 5*2½	139,7*73 5,5*2,875	2,07 300	65	70
125*65 5*2½	139,7*76,1 5,5*3	2,07 300	65	70
125*80 5*3	139,7*88,9 5,5*3,5	2,07 300	65	70
125*100 5*4	139,7*114,3 5,5*4,5	2,07 300	65	70
125*100 5*4	139,7*108 5,5*4,252	2,07 300	65	70
125*25 5*1	141,3*33,7 5,563*1,327	2,07 300	70	89
125*32 5*1¼	141,3*42,4 5,563*1,669	2,07 300	70	89
125*40 5*1½	141,3*48,3 5,563*1,9	2,07 300	70	89
125*50 5*2	141,3*60,3 5,563*2,375	2,07 300	70	89
125*65 5*2½	141,3*73 5,563*2,875	2,07 300	70	89
125*65 5*2½	141,3*76,1 5,563*3	2,07 300	70	89
125*80 5*3	141,3*88,9 5,563*3,5	2,07 300	70	89
125*100 5*4	141,3*108 5,563*4,252	2,07 300	70	89
125*100 5*4	141,3*114,3 5,563*4,5	2,07 300	70	89
150*25 6*1	159*33,7 6,25*1,327	2,07 300	75	102

Diâmetro nominal mm/pol	Diâmetro externo mm/pol	Pressão de trabalho MPa/psi	Dimensões L (mm)	
			DMHRE1	DMHRE1L
150*32 6*1¼	159*42,4 6,25*1,669	2,07 300	75	102
150*40 6*1½	159*48,3 6,25*1,9	2,07 300	75	102
150*50 6*2	159*60,3 6,25*2,375	2,07 300	75	102
150*65 6*2½	159*73 6,25*2,875	2,07 300	75	102
150*65 6*2½	159*76,1 6,25*3	2,07 300	75	102
150*80 6*3	159*88,9 6,25*3,5	2,07 300	75	102
150*100 6*4	159*108 6,25*4,252	2,07 300	75	102
150*100 6*4	159*114,3 6,25*4,5	2,07 300	75	102
150*125 6*5	159*139,7 6,25*5,5	2,07 300	65	102
150*125 6*5	159*141,3 6,25*5,563	2,07 300	75	102
150*25 6*1	165,1*33,7 6,2*1,327	2,07 300	75	102
150*32 6*1¼	165,1*42,4 6,5*1,669	2,07 300	75	102
150*40 6*1½	165,1*48,3 6,5*1,9	2,07 300	75	102
150*50 6*2	165,1*60,3 6,5*2,375	2,07 300	75	102
150*65 6*2½	165,1*73 6,5*2,875	2,07 300	75	102
150*65 6*2½	165,1*76,1 6,5*3	2,07 300	75	102
150*80 6*3	165,1*88,9 6,5*3,5	2,07 300	75	102
150*100 6*4	165,1*108 6,5*4,252	2,07 300	75	102
150*100 6*4	165,1*114,3 6,5*4,5	2,07 300	75	102
150*125 6*5	165,1*139,7 6,5*5,5	2,07 300	65	102
150*125 6*5	165,1*141,3 6,5*5,563	2,07 300	65	102
150*25 6*1	168,3*33,7 6,625*1,327	2,07 300	75	102
150*32 6*1¼	168,3*42,4 6,625*1,669	2,07 300	75	102
150*40 6*1½	168,9*48,3 6,625*1,9	2,07 300	75	102
150*50 6*2	168,3*60,3 6,625*2,375	2,07 300	75	102
150*65 6*2½	168,3*73 6,625*2,875	2,07 300	75	102
150*65 6*2½	168,3*76,1 6,625*3	2,07 300	75	102
150*80 6*3	168,3*88,9 6,625*3,5	2,07 300	75	102
150*100 6*4	168,3*108 6,625*4,252	2,07 300	75	102
150*100 6*4	1683*114,3 6,625*4,5	2,07 300	75	102
150*125 6*5	168,3*139,7 6,625*5,5	2,07 300	65	102
150*125 6*5	168,3*141,3 6,625*5,563	2,07 300	65	102

DMHRE1

Redução excêntrica ranhurada



Diâmetro nominal mm/pol	Diâmetro externo mm/pol	Pressão de trabalho MPa/psi	Dimensões L (mm)	
			DMHRE1	DMHRE1L
200*100 8*4	216,3*114,3 8,516*4,5	2,07 300	85	127
200*125 8*5	216,3*139,7 8,516*5,5	2,07 300		
200*150 8*6	216,3*165,1 8,516*6,5	2,07 300	85	127
200*50 8*2	219*60,3 8,625*2,375	2,07 300		
200*65 8*2½	219*73 8,625*2,875	2,07 300	85	127
200*65 8*2½	219*76,1 8,625*3	2,07 300		
200*80 8*3	219*88,9 8,625*3,5	2,07 300	85	127
200*100 8*4	219,1*108 8,625*4,252	2,07 300		
200*100 8*4	219*114,3 8,625*4,5	2,07 300	85	127
200*125 8*5	219,1*139,7 8,625*5,5	2,07 300		
200*125 8*6	219,1*141,3 8,625*5,563	2,07 300	85	127
200*150 8*6	219,1*159 8,625*6,25	2,07 300		
200*150 8*6	219,1*165,1 8,625*6,5	2,07 300	85	127
200*150 8*6	219,1*168,3 8,625*6,625	2,07 300		
250*100 10*4	273*108 10,75*4,252	2,07 300	90	152
250*100 10*4	273*114,3 10,75*4,5	2,07 300		
250*125 10*5	273*139,7 10,75*5,5	2,07 300	90	152
250*125 10*5	273*141,3 10,75*5,563	2,07 300		
250*150 10*6	273*159 10,75*6,25	2,07 300	90	152
250*150 10*6	273*165,1 10,75*6,5	2,07 300		
250*150 10*6	273*168,3 10,75*6,625	2,07 300	90	152
250*200 10*8	273*219,1 10,75*8,625	2,07 300		
300*100 12*4	323,9*114,3 12,75*4,5	2,07 300	90	178
300*125 12*5	323,9*139,7 12,75*5,5	2,07 300		
300*125 12*5	323,9*141,3 12,75*5,563	2,07 300	90	178
300*150 12*6	323,9*159 12,75*6,25	2,07 300		
300*150 12*6	323,9*165,1 12,75*6,5	2,07 300	90	178
300*150 12*6	323,9*168,3 12,75*6,625	2,07 300		
300*200 12*8	323,9*219,1 12,75*8,625	2,07 300	90	178
300*250 12*10	323,9*273 12,75*10,75	2,07 300		